

STARTER STRIP

Description	CMI Part #	QTY.	-	-
9 in. x 36 ft. Fiberglass Reinforced Starter Roll	GM9	25		
9 in. x 33.33 ft. Self Adhering Starter Roll with Wind Tabs	WS9	30		



ZINC STRIP Fungus/Algae Prevention. With nails.

Description	CMI Part #	QTY.	-	-
Moss & Mildew Control Roll - 2.5 in. x 50 ft.	MB50	12		



ROOFTOP SAFETY KIT Professional Fall Protection

Description	CMI Part #	QTY.	-	-
Universal Harness with 5 adjustment options for comfort, 50 ft. Rope Lifeline with attached positioning device and snap hook, Ridge-It Permanent roof top anchor and fasteners, Safety Glasses, Instructional Video and Instructional booklet in English and Spanish.	RSKA	3		




ROOF BRACKETS 2 x 6

Description	CMI Part #	QTY.	-	-
2 x 6 Roof Bracket - Adjustable	2500	10		
2 x 6 Roof Bracket - 45°	2501	10		
2 x 6 Roof Bracket - 90°	2502	10		





GLASS Single Strength = 2.5 mm | Double Strength = 3.0 mm

Size	2.5 mm	3 mm	QTY.	-
12 in. x 24 in.	1224SSB	-	25	
12 in. x 36 in.	1236SSB	-	17	
18 in. x 24 in.	1824SSB	-	17	
18 in. x 48 in.	1848SSB	-	8	
24 in. x 30 in.	2430SSB	2430DSB	10	
24 in. x 36 in.	2436SSB	2436DSB	8	
24 in. x 48 in.	2448SSB	2448DSB	6	
30 in. x 36 in.	3036SSB	3036DSB	7	
36 in. x 48 in.	3648SSB	3648DSB	4	




WINDOW & VENT WELLS Galvanized Steel

Size: A x B x C	CMI Part #	QTY.	-	-
20 in. x 4 in. x 12 in.	FVW204-12	10		
20 in. x 8 in. x 12 in.	FVW208-12	10		
20 in. x 12 in. x 12 in.	FVW2012-12	10		
37 in. x 12 in. x 18 in.	FVW3712-18	5		
37 in. x 12 in. x 18 in.	WW3712-18	5		
42 in. x 12 in. x 18 in.	WW4212-18	5		
48 in. x 12 in. x 18 in.	WW4812-18	5		



LAWN EDGING SYSTEM 18 Gauge Galvanized Steel.


Size: A x B x C	CMI Part #	QTY.	-	-
Lawn Edge: 4 in. x 120 in.	LE410	300		
Lawn Edge Clip: 12 in.	LEC12	500		



READY WHEN YOU ARE!

+700 IN-STOCK
LINEAL & ROLL
FLASHINGS.

UTILITY ACCESS DOOR Pack Quantity: 10




Size: A x B	CMI Part #	Rough Opening	Latches	-	-	-
15.75 in. x 15.75 in.	TA14DW	14 in. x 14 in.	n/a			

Designed for plumbing & electrical access. Piano hinge, Pressure fit door. Drywall Frame.

Available on request: Fire Rated Ceiling Access, Duct Access Doors, Metal Lath Access Doors, Plaster Wall Access Doors.



VENTILATING ACCESS DOOR Pack Quantity: 10



Size: A x B	CMI Part #	Rough Opening	Latches	-	-	-
18 in. x 24 in.	CHADS	18.25 in. x 25 in.	n/a			

28 Gauge Galvanized Steel Construction. Pressure fit screen door (1/4 inch mesh). Piano hinge. Custom sizes available.


FIRE RATED ACCESS DOOR Rated 1 1/2 hours by UL. Meets ANSI-UL10B standard. Available for ceiling access. UL Rated 3 hours.



Concealed hinge. Spring operated door.



Size: A x B	CMI Part #	Rough Opening	Latches	QTY	-	-
10.5 in. x 10.5 in.	AD88FR	8.375 in. x 8.375 in.	1	1		
12.5 in. x 12.5 in.	AD1010FR	10.375 in. x 10.375 in.	1	1		
14.5 in. x 14.5 in.	AD1212FR	12.375 in. x 12.375 in.	1	1		
14.5 in. x 20.5 in.	AD1218FR	12.375 in. x 18.375 in.	1	1		
16.5 in. x 16.5 in.	AD1414FR	14.375 in. x 14.375 in.	1	1		
20.5 in. x 20.5 in.	AD1818FR	18.375 in. x 18.375 in.	1	1		
24.5 in. x 24.5 in.	AD2222FR	22.375 in. x 22.375 in.	1	1		
26.5 in. x 26.5 in.	AD2424FR	24.375 in. x 24.375 in.	1	1		
26.5 in. x 38.5 in.	AD2436FR	24.375 in. x 36.375 in.	2	1		

ACCESS HATCH 14 Ga. Steel. Pack Quantity: 1



Size: A x B	CMI Part #	Roof Opening	Latches	Frame - Inner	Frame - Outer	-
30 in. x 36 in.	AH3036	30 in. x 36 in.	1	30 in. x 36 in.	37 in. x 43 in.	
24 in. x 24 in.	AH2424	24 in. x 24 in.	1	24 in. x 24 in.	31 in. x 31 in.	
24 in. x 30 in.	AH2430	24 in. x 30 in.	1	24 in. x 30 in.	31 in. x 37 in.	
24 in. x 36 in.	AH2436	24 in. x 36 in.	1	24 in. x 36 in.	31 in. x 43 in.	
30 in. x 54 in.	AH3054	30 in. x 54 in.	1	30 in. x 54 in.	37 in. x 61 in.	
30 in. x 96 in.	AH3096	30 in. x 96 in.	1	30 in. x 96 in.	37 in. x 103 in.	
36 in. x 36 in.	AH3636	36 in. x 36 in.	1	36 in. x 36 in.	43 in. x 43 in.	
48 in. x 48 in.	AH4848	48 in. x 48 in.	1	48 in. x 48 in.	55 in. x 55 in.	



DRYWALL ACCESS DOOR Pack Quantity: 1



Size: A x B	CMI Part #	Rough Opening	Latches	-	-	-
10 in. x 10 in.	AD88DW	8.5 in. x 8.5 in.	1			
12 in. x 12 in.	AD1010DW	10.5 in. x 10.5 in.	1			
14 in. x 14 in.	AD1212DW	12.5 in. x 12.5 in.	1			
14 in. x 18 in.	AD1216DW	12.5 in. x 16.5 in.	1			
16 in. x 16 in.	AD1414DW	14.5 in. x 14.5 in.	1			
18 in. x 22 in.	AD1620DW	16.5 in. x 20.5 in.	2			
20 in. x 20 in.	AD1818DW	18.5 in. x 18.5 in.	3			
20 in. x 26 in.	AD1824DW	18.5 in. x 24.5 in.	3			
26 in. x 26 in.	AD2424DW	24.5 in. x 24.5 in.	3			
26 in. x 32 in.	AD2430DW	24.5 in. x 30.5 in.	5			

Surface installation for drywall, masonry, tile, wood and other surfaces. • 16 Gauge steel construction. Primer finish. Concealed hinge. Latch (screwdriver operated)

DRYWALL BEAD ACCESS DOOR Pack Quantity: 1




Size: A x B	CMI Part #	Rough Opening	Latches	-	-	-
11 in. x 11 in.	AD88DWB	8.25 in. x 8.25 in.	1			
13 in. x 13 in.	AD1010DWB	10.25 in. x 10.25 in.	1			
15 in. x 15 in.	AD1212DWB	12.25 in. x 12.25 in.	1			
17 in. x 17 in.	AD1414DWB	14.25 in. x 14.5 in.	2			
19 in. x 19 in.	AD1616DWB	16.25 in. x 16.25 in.	2			
21 in. x 21 in.	AD1818DWB	18.25 in. x 18.25 in.	2			
25 in. x 25 in.	AD2222DWB	22.25 in. x 22.25 in.	4			
27 in. x 27 in.	AD2424DWB	24.25 in. x 24.25 in.	4			

Flush installation in drywall surfaces. Apply joint compound over flange. • 16 Ga. steel. Primer finish. Concealed hinge. Smooth edges for safety. One piece frame (1 in. flange). Latch (screwdriver operated)

DIAMOND MESH SHEETS

Description	CMI Part #	QTY.	-	-	-	-
Diamond Lath 1.75 # - 27 in. x 97 in.	DL175	250				
Diamond Lath 2.5 # - 27 in. x 97 in.	DL25	250				
Diamond Lath 3.4 # - 27 in. x 97 in.	DL34	250				
Diamond Lath 3.4 # - 27 in. x 97 in. w/paper	DL34P	250				
3/8 in. High Ribbed Lath 3.4 # # - 27 in. x 97 in.	DL38HR	250				
3/8 in. Spray Rib Lath 3.4 # # - 27 in. x 97 in.	DL38SRP	250				
Strip Lath 6 in. x 8 in.	SSL6	75				




CASING BEAD

Description	CMI Part #	QTY.	-	-	-	-
N-66 1/2 in. Casing Bead	CB12N	30				
N-66 3/8 in. Casing Bead	CB38N	30				
N-66 7/8 in. Casing Bead	CB78N	30				
Vinyl Stucco Casing Bead 7/8 in.	PSCSB78-10	75				



CORNER BEAD

Description	CMI Part #	QTY.	-	-	-	-
Kwik Bead Corner 10 ft.	CMC6G	40				
X1- Cornerbead 10 ft	CX1-10	30				
Corner Lath 2 in. x 2 in. x 4 ft.	CNR224	125				
Vinyl Stucco Cornerbead 2.5 in. x 10 ft.	PSCB2.5-10	50				




FOUNDATION WEEP SCREED

Description	CMI Part #	QTY.	-	-	-	-
#7 Weep Screed 7/8 in. Grnd Galvanized 26 gauge	WPS7826	10				
Vinyl Foundation Weep Screed 3/4 in. Ground x 10 ft.	PSS.75-10	30				
Vinyl Foundation Weep Screed 7/8 in. Ground x 10 ft.	PSS.875-10	30				



J-METAL 26 Gauge. With weep holes

Description	CMI Part #	QTY.	-	-	-	-
J Metal 1 3/8 in. Grnd 3.5 in. x 10 ft.	JMH1.375-26	10				



COUNT ON CMI

TRIMS & FLASHING • VENTILATION • METAL ROOFING • GUTTER • DRYWALL ACCESSORIES • HVAC

PROFESSIONAL GRADE. SINCE 1991.